

Kitemark™ Certificate

This is to certify that:

Birmingham Glass Services Ltd
1 Lightning Way
West Heath
Birmingham
B31 3PH
United Kingdom

Holds Certificate Number:


KM 566948

In respect of:

Window & Door Energy Rating
Window Energy Rating

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.



For and on behalf of BSI:

Gary Fenton, Global Product Certification Director

First Issued: 03/02/2011

Latest Issue: 10/02/2016



Kitemark™ Certificate

No. KM 566948

Window	Rating Band	Rating Index (kWh/(m ² -yr))	U _w (W/(m ² -K))	Solar Factor g _w	Air Leakage heat loss (W/(m ² -K))
Heritage 2800	A	8	1.4	0.46	0.00
Heritage 2800	A	6	1.4	0.46	0.00
Heritage 2800	C	-17	1.7	0.45	0.00
Heritage 2800	C	-19	1.7	0.45	0.00

First Issued: 03/02/2011

Latest Issue: 10/02/2016

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 845 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.